



METAL BUILDINGS

Commercial • Agricultural • Residential

Bolt-Up & Weld-Up Kits Available



RailroadYard.com

17MAR26

405-377-8763

North Central Oklahoma's

Largest Steel Building Store

What's Inside

PAGE 2: Metal Building Facts

PAGE 3: Investing in a New Metal Building

PAGE 6: Example Project Pictures

PAGE 7: Weld-Up & Bolt-Up Buildings

PAGE 9: Low Rib Trim / Color Charts

PAGE 12: Commercial / Industrial Trim / Color Charts

PAGE 13: Weld-Up Building Diagram

PAGE 14: Building Layouts

PAGE 17: Choosing the Right Panel

Call Our Metal Buildings Sales Team!



Kip Miner

Metal Buildings Consultant

405-714-4974



The Railroad Yard Inc.

PO BOX 2283
STILLWATER, OK 74076

405-377-8763 (office)

kip@railroadyard.com (email)



Matt Crase

Metal Buildings Consultant

405-747-7008



The Railroad Yard Inc.

PO BOX 2283
STILLWATER, OK 74076

405-377-8763 (office)

matt@railroadyard.com (email)

WHY CHOOSE A METAL BUILDING?

✓ Fast to Build

Whether you DIY or hire a contractor, bolt-up buildings go up quickly—saving time compared to traditional construction.

✓ Built Strong

Steel buildings handle harsh weather better than wood structures—and won't rot, crack, or attract termites.

✓ Cost-Effective Over Time

Lower maintenance, strong durability, and reduced fire risk can help lower long-term costs—including possible insurance savings.

✓ Environmentally Smart

Steel buildings are long-lasting, recyclable, and efficient—making them a practical choice for modern construction.



GREAT FOR:

- Shops & Garages
- Agricultural Buildings
- Retail Stores
- Warehouses
- Barndominiums / Homes
- Riding Arenas
- Equipment Storage
- Churches & Schools
- Airplane Hangars
- Self-Storage Units
- Gyms & Sports Facilities



WHY INVEST IN A METAL BUILDING?

Whether it's time to replace a current building or expand your operations, you will find that there are several advantages to investing in a metal building. These affordable buildings are strong, durable, and faster to erect than conventional methods, saving you construction cost.

Built Faster

- Pre-engineered components go up quickly, reducing labor time and overall construction costs.

Environmental Friendliness

- Steel is 100% recyclable
- Many buildings use recycled materials
- Factory fabrication reduces waste
- Less weather-related construction delays

Energy Efficiency

- Easy to heat and cool with proper insulation
- Light-colored finishes reflect heat and reduce cooling costs
- Performs well in both summer and winter

Bolt up vs weld up

- Bolt-Up (Pre-Engineered)
- Designed to meet local wind and snow codes
- Clear-span interiors (no interior columns)
- Adjustable roof pitch and layout
- Weld-Up (Custom Frame)
- Fabricated truss systems
- Cost-effective alternative to wood-frame buildings
- Flexible for custom builds

Durable & Low Maintenance

- Won't rot, warp, or twist
- Resistant to termites and pests
- Performs well in humid environments
- Engineered for long-term strength

Built for Any Use

- Metal buildings can be customized for nearly any application:
- Shops & Offices
- Warehouses & Distribution
- Retail Front + Shop Combo
- Agricultural Buildings
- Churches & Schools
- Homes / Barndominiums
- Recreation Facilities



RESIDENTIAL



AGRICULTURAL / RECREATIONAL



COMMERCIAL

EXAMPLE PROJECTS



EXAMPLE PROJECTS



METAL ROOFS



WELD-UP

- #1 26 ga. Panel-Loc Plus
- 10 year or 40 year warranty
- 4" sq. x 11 ga. Steel Frame on 10' centers
- 4" c-purlin in walls
- 4" c-purlin on roof
- 2" x 2 1/8" angle iron clips
- Colored trim
- Color matched screws



BOLT-UP

- 100% bolt together, no welding required
- #1 26 ga. R-Panel (PBR)
- 10 year or 40 year warranty
- I-Beam frame on 20' and 25' spacings
- 8" c-purlin wall girts and roof purlins
- Engineered to IBC codes
- Clear span roof line
- Colored Trim
- Color matched screws





Black

STANDARD | PRIME | GLO | ULTRA

***Premium Color
Matte Black**

Fluoron® 70% PVDF
PRIME



True
Black

STANDARD | PRIME | GLO



Granite
Clay

STANDARD | PRIME | GLO



Charcoal

COMMODITY | STANDARD |
PRIME | GLO | ULTRA



Lunar
Gray

STANDARD | PRIME | GLO



Gray

STANDARD | PRIME | GLO | ULTRA

Pewter

PRIME | GLO | ULTRA

Alamo

COMMODITY | STANDARD |
PRIME | GLO | ULTRA

Brilliant

COMMODITY | STANDARD |
PRIME | GLO | ULTRA

Hunter

COMMODITY | STANDARD |
PRIME | GLO | ULTRA

Forest

STANDARD | PRIME | GLO | ULTRA

Colony

STANDARD | PRIME | GLO

Covert
Green

PRIME

Deep
Red

STANDARD | PRIME | GLO

Crimson
Red

PRIME | GLO | ULTRA

Rustic

COMMODITY | STANDARD |
PRIME | GLO | ULTRA

Burgundy

STANDARD | PRIME | GLO | ULTRA

Gallery

STANDARD | PRIME | GLO | ULTRA

Panel-Loc Plus®

Color Selection Tool



Includes Panel-Loc® and CD2000®



Burnished
Slate

STANDARD | PRIME | GLO | ULTRA



***Premium Color
Copper
Metallic†**

Fluoron® 70% PVDF
STANDARD | PRIME | GLO | ULTRA



SHERWIN-WILLIAMS
Coil Coatings



We Deal In Steel®



Desert

PRIME | GLO | ULTRA



Hickory
Moss

STANDARD | PRIME | GLO



Taupe

STANDARD | PRIME | GLO | ULTRA



Brown

COMMODITY | STANDARD |
PRIME | GLO | ULTRA



Choose CentralGuard® for the best
protection and a lifetime warranty.

Dark
Brown

STANDARD | PRIME | GLO



Tan

STANDARD | PRIME | GLO | ULTRA



Sierra

STANDARD | PRIME | GLO



Light Stone

COMMODITY | STANDARD | PRIME
| GLO | ULTRA



Ivory

STANDARD | PRIME | GLO



























Ocean

STANDARD | PRIME | GLO | ULTRA



LOW RIB TRIMS



*Lead times may vary by location.



Charcoal
THIRTY | PRIME

Desert
PRIME

Gray
THIRTY | PRIME

Polar
THIRTY | PRIME

Brilliant
PRIME



Choose CentralGuard for the best protection
and a lifetime warranty.

Commercial

Color Selection Tool

M-Loc™
R-Loc™



We Deal In Steel

405-377-8763

RailroadYard.com • Stillwater, OK

† Color variation between orders is normal and not cause for rejection. ‡ Weathering and appearance variation, including color, sheen, and spangle, is common in non-painted materials and is not a cause for rejection. For consistent appearance, choose a paint-finished product.

Colors on this chart are close representations of actual metal color, limited by printing and viewing conditions. Color matching optimized for outdoor viewing.

CHRT_CDMN_240401

SHERWIN-WILLIAMS.
Coil Coatings

Sherwin-Williams® is a trademark of SWWC LLC.

Copper Metallic†
PRIME

FEVE
Fluorinated Polymer
Paint System




Clear acrylic coating
Galvalume®†
PRIME



Fern
PRIME



Hunter
THIRTY | PRIME



Colony
PRIME



Crimson
PRIME



Rustic
THIRTY | PRIME



Burgundy
PRIME



Gallery
PRIME



Hawaiian
PRIME



Light Stone
THIRTY | PRIME




Tan
THIRTY | PRIME



Brown
THIRTY | PRIME























**Burnished
Slate**
PRIME



COMMERCIAL / INDUSTRIAL

R-Loc Trims






See Commercial Product Guide for additional trims.



Flat sheets (FS) available upon request.

Structural Steel


Red Oxide and Galvanized



WELD-UP DIAGRAM


Concrete Slab

30' 3" x 40' 3" with Sheet Ledge



Sheet Ledge


1 1/2" x 1 1/2" Ledge around Slab for Sheets



Note:


10' from outside of column to center of next column

Building Schematic



A - Top of purlin to base angle
B - Bottom of truss to floor

Options for Anchoring Uprights



10'	A - 10'-11.5" B - 10'-0"
12'	A - 12'-11.5" B - 12'-0"
14'	A - 14'-11.5" B - 14'-0"
16'	A - 16'-11.5" B - 16'-0"



(all sizes)

**Purlin Spacing Roof
36" Centers (Approximate)**



30' x 40' x 12'

Purlin Spacing Walls	
10'	37" Centers
12'	45" Centers
14'	40" Centers
16'	46" Centers



ENGINEER NOTE:
THE SHEETING IS LIMITED
TO BRACE THIS BUILDING.
SHEEN PATTERNS SHOWN
MUST BE FOLLOWED.
SEE SHEET E.D.

ELEVATION SHEETING A

BOLT UP SCHEMATIC

CUSTOMER

REV

CONTRACT # DRAWN BY CHECKED BY DRAWING



RE

Submitted

CONTRACT #	DRAWN BY	CHECKED BY	DRAWN
CONTROL	DRAW_BY	CHK_BY	DRAW

CHOOSE THE RIGHT PANEL


Panel-Loc - Residential Wall & Roof Panel

Panel-Loc is the classic panel for post frame barns and buildings. Available in 26- and 29-gauge metal panels, Panel-Loc gives agricultural and light commercial projects, as well as residential roofs, the protection of steel with an attractive appearance.



Panel-Loc Plus - Residential Wall & Roof Panel

Panel-Loc Plus provides the same durable performance as our Panel-Loc panel, plus an added striation on top of the rib, giving it even more strength. Available in 26- and 29-gauge metal panels, Panel-Loc Plus gives agricultural and light commercial projects, as well as residential roofs, the protection of steel with an attractive appearance. The Panel-Loc Plus profile from Central States Mfg. has become the standard for excellence in the industry.




Horizon Loc - Residential & Commercial Roof Panel

This concealed fastener panel allows you to have a beautiful roof without a single screw showing, giving you the advantage of a standing seam roof for less. The panel snaps on easy to rapidly attach with no hand seaming, so installation is less expensive than traditional standing seam. It is ideal for residential roofing and light commercial applications applied over solid decking, and its durability ratings may lower insurance rates to save you money.



R-Loc - Commercial Roof & Wall Panel

The R-Loc panel meets the needs of today's commercial market while remaining extremely cost effective. Commonly referred to as PBR-panel, this 26 gauge commercial panel is an excellent choice for your projects that require commercial grade performance. R-Loc is designed to maximize the potential of your structures, specifically the steel frame. With an added purlin bearing rib, you can count on easier installation and a more pleasing appearance.



CHOOSE THE RIGHT PANEL

Precision-Loc - Soffit & Wall Panel

Precision-Loc is a simple but versatile concealed fastener soffit and fascia panel with clean lines that complement a building's roof and walls. The 12" width offers flexibility in design, and is available in a smooth flat appearing finish or with one stiffening groove.



Central Loc - Roof Panels (snap together)

The Central-Loc profile has a snap lock joint for ease of installation. 24 ga. panels. Available in 24" standard coverage, optional 18". Factory applied sealant insures a weather-tight and secure lap. Standing seam panels can be used for both newconstruction and retrofit. Floating clips allow for thermal roof expansion and contraction during extreme temperature changes. Comprehensive step-by-step erection manuals come with each Standing Seam order. Pre-punched panels, combined with selfengaging backup plates for ease of installation. Reversible end-for-end panels so each side of the roof can be installed simultaneously.



Central Seam Plus - Roof Panels (field Seamed)

The Central-seam Plus profile has a snap lock joint for ease of installation. 24 ga. panels. Available in 24" standard coverage, optional 18". Factory applied sealant insures a weather-tight and secure lap. Standing seam panels can be used for both newconstruction and retrofit. Floating clips allow for thermal roof expansion and contraction during extreme temperature changes. Comprehensive step-by-step erection manuals come with each Standing Seam order. Pre-punched panels, combined with selfengaging backup plates for ease of installation. Reversible end-for-end panels so each side of the roof can be installed simultaneously.



Central-Snap - Standing Seam Roof Panel

Central-Snap is a performance rated non-structural, architectural standing seam roof system. It has an easy to install 13/4" high snap-lock joint making it ideal for architectural and light commercial.



FENCING MATERIALS

Continuous Fence



H-Braces



Pre-Cut Posts



Cable



Heavy Duty Gates




T-Posts/Barbed Wire



METAL BUILDINGS



CUSTOM STEEL FABRICATION



STORAGE CONTAINERS



STRUCTURAL STEEL



405-377-8763

RAILROADYARD.COM ~ STILLWATER, OK ~ OPEN 7AM-4PM ~ M-F

